

# Vogelkundliche Wanderungen

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Summe	Schnitt	%
																										24	
Wanderungen	17	16	23	23	24	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	578	24,1	
Amsel	17	15	23	23	22	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	575	24,0	99,5
Bachstelze	12	13	16	19	22	22	20	21	23	24	22	17	21	22	17	20	19	22	20	19	15	18	14	15	453	18,9	78,4
Baumfalke	0	0	1	2	3	2	1	1	0	0	0	0	0	1	2	0	2	2	3	0	2	1	0	0	23	1,0	4,0
Baumpieper	15	12	15	15	11	20	16	12	17	19	20	12	8	11	10	12	11	9	11	11	12	9	8	8	304	12,7	52,6
Bergfink	0	0	0	1	3	0	0	3	0	2	1	2	2	2	0	0	0	1	1	4	3	1	0	2	28	1,2	4,8
Bläßhuhn	0	1	0	1	0	3	0	0	1	0	0	0	0	1	0	1	1	0	2	1	1	0	1	1	15	0,6	2,6
Blauehlchen	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0,1	0,3
Blaumeise	15	15	20	21	22	27	28	22	22	25	30	24	23	25	22	24	23	25	26	25	19	19	20	17	539	22,5	93,3
Braunkehlchen	0	1	1	4	4	0	0	2	1	1	0	0	0	1	0	0	1	0	2	0	1	2	0	0	21	0,9	3,6
Bruchwasserläufer	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0,0	0,2
Buchfink	15	16	23	23	22	30	28	23	24	25	31	24	26	27	24	25	24	27	26	26	20	21	21	21	572	23,8	99,0
Buntspecht	14	12	19	19	17	24	26	18	18	21	24	21	21	21	24	23	19	24	22	24	18	18	17	15	479	20,0	82,9
Distelfink	9	9	6	15	10	21	15	12	16	13	14	11	19	13	9	11	10	16	8	9	4	7	10	9	276	11,5	47,8
Dohle	0	0	0	0	0	2	2	1	1	3	1	1	2	0	1	0	0	4	2	1	0	0	1	1	23	1,0	4,0
Dompfaff	6	9	13	9	12	11	14	6	9	9	10	11	8	13	9	9	5	15	5	6	13	5	6	8	221	9,2	38,2
Dorngrasmücke	0	0	5	10	7	10	14	9	13	13	12	5	7	6	6	7	8	7	11	5	7	8	3	4	177	7,4	30,6
Eichelhäher	14	11	19	20	22	20	26	21	20	24	28	20	21	23	19	21	22	26	24	22	17	15	17	20	492	20,5	85,1
Eisvogel	0	1	0	0	0	1	0	0	0	1	0	1	0	0	0	2	1	0	2	0	0	0	0	0	9	0,4	1,6
Elster	11	9	11	14	17	22	18	16	14	20	17	11	17	21	15	16	18	21	15	16	14	13	12	12	370	15,4	64,0
Erlenzeisig	0	0	0	0	0	4	2	0	1	2	3	2	0	1	0	1	0	1	0	1	1	0	0	4	23	1,0	4,0
Fasan	1	1	1	1	0	1	0	1	0	0	0	0	0	0	0	0	1	1	2	1	1	0	0	0	12	0,5	2,1
Feldlerche	13	15	17	22	23	26	25	21	24	26	29	20	23	24	21	23	21	23	22	23	18	20	19	19	517	21,5	89,4
Feldschwirl	2	2	2	2	1	3	1	7	7	3	7	2	3	3	1	2	1	1	4	3	4	1	2	1	65	2,7	11,2
Feldsperling	5	9	7	16	13	21	13	13	17	21	19	13	20	16	10	13	14	18	13	13	11	12	10	10	327	13,6	56,6
Fichten-Kreuzschnabel	3	4	1	0	0	5	1	1	2	0	3	0	4	6	3	3	0	6	3	2	3	0	0	3	53	2,2	9,2
Fischadler	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2

# Vogelkundliche Wanderungen

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Summe	Schnitt	%
																										24	
Wanderungen	17	16	23	23	24	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	578	24,1	
Fitis	10	13	10	12	19	20	10	14	17	20	23	11	12	17	13	13	10	14	18	14	11	8	9	5	323	13,5	55,9
Flußregenpfeifer	0	0	0	0	1	3	3	2	1	2	0	0	2	0	0	1	2	0	1	0	2	0	0	0	20	0,8	3,5
Flußuferläufer	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0,0	0,2
Gartenbaumläufer	0	4	4	4	7	9	11	5	5	13	13	5	6	6	9	11	8	11	11	7	5	3	4	2	163	6,8	28,2
Gartengrasmücke	8	6	8	10	11	19	16	15	17	18	17	13	14	16	13	15	14	15	16	14	12	10	9	8	314	13,1	54,3
Gartenrotschwanz	2	2	2	6	3	3	3	6	5	8	1	2	3	3	0	1	3	7	1	1	5	3	5	2	77	3,2	13,3
Gebirgsstelze	0	1	1	2	1	0	0	1	1	1	2	2	1	3	0	1	2	5	4	4	2	2	3	1	40	1,7	6,9
Gelbspötter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0,0	0,2
Girlitz	11	9	15	13	11	16	14	13	15	19	11	7	9	11	9	13	10	13	11	10	4	9	8	6	267	11,1	46,2
Goldammer	15	15	23	22	24	30	26	23	24	27	31	24	26	27	23	23	23	27	25	24	19	21	21	21	564	23,5	97,6
Graugans	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	0,1	0,5
Graureiher	3	6	3	7	6	7	6	4	1	6	3	3	3	5	7	4	6	5	7	5	1	4	7	4	113	4,7	19,6
Grauschnäpper	2	1	2	2	5	4	1	0	1	1	0	1	3	0	0	1	2	1	2	0	0	0	1	0	30	1,3	5,2
Grauspecht	0	2	2	1	0	2	3	2	1	1	1	1	0	1	1	2	1	0	1	0	1	0	1	1	25	1,0	4,3
Grünfink	14	12	14	17	14	18	21	16	20	23	23	22	22	23	19	20	18	20	19	23	15	20	17	16	446	18,6	77,2
Grünschenkel	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2
Grünspecht	4	7	8	8	6	13	15	16	10	12	17	11	15	12	16	12	16	20	18	15	11	13	12	14	301	12,5	52,1
Habicht	1	0	5	2	0	3	0	0	1	4	0	0	1	1	1	0	2	1	0	0	0	0	0	0	22	0,9	3,8
Hänfling	6	7	7	9	17	14	12	10	4	13	15	13	8	11	6	6	8	12	5	7	7	7	7	7	218	9,1	37,7
Halsbandschnäpper	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0,1	0,3
Haubenlerche	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0,1	0,5
Haubenmeise	2	2	9	10	9	8	9	8	8	12	19	13	10	14	13	11	8	11	11	7	11	6	7	1	219	9,1	37,9
Haubentaucher	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	4	0,2	0,7
Hausrotschwanz	12	13	14	17	15	23	17	19	21	18	16	15	17	18	13	20	17	20	16	14	12	16	13	14	390	16,3	67,5
Hausperling	12	11	12	12	9	18	14	13	15	19	17	14	17	18	13	20	18	19	15	15	11	17	13	13	355	14,8	61,4
Heckenbraunelle	5	8	19	20	21	24	21	20	21	25	28	18	21	17	16	18	18	18	20	14	13	9	9	10	413	17,2	71,5

# Vogelkundliche Wanderungen

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Summe	Schnitt	%
																										24	
Wanderungen	17	16	23	23	24	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	578	24,1	
Heidelerche	1	1	3	3	4	5	8	6	5	5	1	0	5	3	1	1	3	0	3	3	2	3	0	1	67	2,8	11,6
Höckerschwan	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	7	0,3	1,2
Hohltaube	10	2	9	10	6	8	2	4	1	3	6	1	6	6	2	5	2	4	8	12	6	6	12	12	143	6,0	24,7
Kanadagans	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	4	0,2	0,7
Kernbeißer	0	4	1	4	3	14	9	11	12	12	20	11	17	15	10	18	11	19	16	13	7	6	9	12	254	10,6	43,9
Kiebitz	0	2	2	2	4	3	2	2	0	1	1	0	1	0	1	2	1	2	1	1	2	0	1	0	31	1,3	5,4
Klappergrasmücke	4	3	5	8	10	7	6	5	7	11	8	3	8	6	3	3	9	9	3	5	5	3	6	4	141	5,9	24,4
Kleiber	7	10	18	16	17	22	23	16	19	20	26	23	23	22	22	19	21	25	24	22	18	17	19	20	469	19,5	81,1
Kleinspecht	0	0	0	1	0	1	2	1	0	0	0	0	0	1	0	2	1	3	0	0	0	0	1	2	15	0,6	2,6
Kohlmeise	17	15	22	23	23	29	26	23	23	27	31	24	25	26	24	25	24	27	26	26	19	21	21	20	567	23,6	98,1
Kolbenente	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	0,1	0,3
Kolkrabe	0	0	0	0	0	0	0	0	0	0	2	2	4	2	2	3	2	3	7	8	5	11	10	7	68	2,8	11,8
Kormoran	0	0	0	0	0	0	2	0	0	0	1	0	0	2	1	0	0	2	2	2	0	1	3	2	18	0,8	3,1
Kornweihe	0	0	3	2	2	0	1	0	0	2	0	0	1	0	0	0	0	2	0	0	0	0	0	0	13	0,5	2,2
Kranich	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2
Kuckuck	5	8	8	10	10	21	12	12	12	15	14	6	7	7	8	10	8	13	10	13	13	9	12	9	252	10,5	43,6
Lachmöwe	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	5	0,2	0,9
Löffelente	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	0,1	0,3
Mäusebussard	14	14	18	22	20	30	24	23	21	25	28	22	23	24	22	24	23	25	26	23	18	17	17	18	521	21,7	90,1
Mauersegler	3	4	5	8	6	6	6	8	2	4	3	3	3	6	6	10	7	11	8	9	6	5	4	5	138	5,8	23,9
Mehlschwalbe	13	5	6	9	8	14	11	8	7	6	11	7	8	6	7	8	11	10	9	8	4	7	6	9	198	8,3	34,3
Misteldrossel	4	10	6	13	12	13	15	15	18	19	23	12	11	18	13	10	12	18	16	16	12	11	10	12	319	13,3	55,2
Mittelspecht	0	1	1	4	2	2	0	4	1	0	1	2	1	2	2	2	2	0	3	0	0	0	0	1	31	1,3	5,4
Mönchsgrasmücke	9	12	17	17	16	28	20	17	21	22	26	21	18	20	16	19	19	22	20	21	17	17	16	14	445	18,5	77,0
Nachtigall	0	1	0	2	2	3	2	3	2	4	1	1	2	1	0	3	3	2	5	3	2	3	4	1	50	2,1	8,7
Neuntöter	4	2	6	8	8	14	8	11	14	10	11	9	3	4	3	5	6	8	8	5	7	5	4	3	166	6,9	28,7

# Vogelkundliche Wanderungen

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Summe	Schnitt	%
Wanderungen	17	16	23	23	24	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	578	24,1	
Nilgans	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	1	1	6	0,3	1,0
Nonnengans	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0,0	0,2
Pirol	5	1	2	4	1	3	3	4	4	5	1	1	2	0	6	4	2	5	2	4	4	3	2	2	70	2,9	12,1
Rabenkrähe	13	15	18	23	24	28	27	23	24	27	29	24	26	27	22	25	24	27	26	26	18	21	20	20	557	23,2	96,4
Raubwürger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
Rauchschnalze	13	8	10	13	10	16	14	13	18	11	17	7	8	11	10	13	16	16	12	11	10	13	10	7	287	12,0	49,7
Rauhfußbussard	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0,1	0,5
Rebhuhn	3	5	3	7	6	4	3	3	0	0	0	1	1	1	2	0	0	1	2	0	0	0	1	1	44		
Reiherente	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0	1	0	6	0,3	1,0
Ringeltaube	15	16	21	22	19	29	27	23	24	27	30	24	25	27	24	25	23	27	25	26	19	21	21	21	561	23,4	97,1
Rohrhammer	0	0	1	3	3	2	1	0	1	0	0	0	2	0	0	0	1	0	2	0	1	0	2	0	19	0,8	3,3
Rohrschwirl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	0,1	0,3
Rohrweihe	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	1	1	0	0	7	0,3	1,2
Rostgans	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2	0,1	0,3
Rotdrossel	0	0	0	0	0	0	2	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	12	0,5	2,1
Rotkehlchen	16	15	22	21	22	28	26	21	23	23	28	20	23	23	19	22	20	26	26	25	16	19	21	17	522	21,8	90,3
Rotmilan	0	1	3	1	1	0	1	0	3	3	6	4	6	4	4	5	3	4	4	3	3	2	4	3	68	2,8	11,8
Schafstelze	0	3	1	0	1	0	2	4	5	6	6	1	2	4	5	5	6	5	5	5	7	4	2	2	81	3,4	14,0
Schleiereule	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
Schwanzmeise	3	2	2	4	4	0	2	2	1	2	3	7	0	5	4	4	6	6	3	8	6	3	4	3	84	3,5	14,5
Schwarzhalstaucher	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0,0	0,2
Schwarzkehlchen	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	0	5	0,2	0,9
Schwarzmilan	1	0	0	1	0	0	0	0	0	1	1	2	2	0	1	1	1	0	2	3	2	3	2	0	23	1,0	4,0
Schwarzspecht	8	8	11	16	16	20	21	12	13	19	15	13	13	16	15	11	16	16	13	12	14	10	7	11	326	13,6	56,4
Schwarzstorch	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2
Singdrossel	13	13	18	18	18	23	28	19	21	25	29	21	22	24	19	19	17	26	25	25	17	17	19	20	496	20,7	85,8

# Vogelkundliche Wanderungen

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Summe	Schnitt	%	
																										24		
Wanderungen	17	16	23	23	24	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	578	24,1		
Sommergoldhähnchen	9	1	13	6	7	15	10	6	7	15	20	16	14	18	11	14	16	18	16	12	10	11	9	4	278	11,6	48,1	
Sperber	2	2	4	2	0	3	2	3	0	2	4	1	1	2	0	6	2	0	2	1	0	3	1	0	43	1,8	7,4	
Star	12	10	17	22	19	23	22	23	22	27	25	18	25	23	20	20	21	22	23	23	18	19	18	18	490	20,4	84,8	
Steinkauz	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
Steinschmätzer	0	3	0	1	2	1	0	2	2	0	1	0	2	1	0	2	0	0	1	0	1	2	0	0	21	0,9	3,6	
Stockente	2	5	5	6	5	7	6	5	2	8	5	7	15	5	8	6	7	9	10	10	8	4	7	5	157	6,5	27,2	
Sumpfmiese	5	10	15	18	17	18	22	15	17	21	23	18	17	24	18	20	16	18	20	18	15	13	13	12	403	16,8	69,7	
Sumpfspötter	7	2	4	6	4	11	7	8	9	9	7	2	5	3	5	3	5	7	6	7	2	1	6	0	126	5,3	21,8	
Tafelente	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	0,1	0,3	
Tannenmiese	9	4	18	15	17	22	22	15	13	17	21	14	17	17	16	14	13	12	14	12	13	10	8	6	339	14,1	58,7	
Teichhuhn	0	1	0	0	1	1	1	0	1	0	1	0	0	1	2	0	1	0	0	0	1	2	1	1	15	0,6	2,6	
Teichrohrsänger	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	5	0,2	0,9	
Trauerschnäpper	0	0	0	1	0	2	3	3	0	1	1	1	0	0	0	0	3	1	3	0	1	0	1	1	22	0,9	3,8	
Türkentaube	9	9	8	11	9	10	10	3	8	8	5	4	7	4	7	4	7	8	6	6	4	7	6	7	167	7,0	28,9	
Turmfalke	8	8	9	15	16	15	11	12	13	17	10	8	9	13	11	15	18	13	18	9	8	12	11	10	289	12,0	50,0	
Turteltaube	2	6	4	8	9	19	13	13	15	17	15	13	11	14	9	10	6	9	4	8	6	7	6	5	229	9,5	39,6	
Uferschwalbe	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0,0	0,2	
Uhu	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	1	1	2	1	2	2	1	1	16	0,7	2,8	
Wacholderdrossel	14	14	13	17	12	18	16	14	11	17	19	11	20	20	9	15	13	19	17	12	6	12	13	9	341	14,2	59,0	
Wachtel	0	0	0	0	2	0	0	2	4	1	1	0	2	0	1	1	2	0	3	0	1	1	0	1	22	0,9	3,8	
Wachtelkönig	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2	
Waldbaumläufer	3	4	5	4	4	8	11	7	12	7	14	8	12	9	7	14	9	9	9	13	8	9	6	3	195	8,1	33,7	
Waldkauz	0	0	0	0	1	1	2	2	0	0	0	1	1	0	1	1	3	0	1	0	0	0	0	0	14	0,6	2,4	
Waldlaubsänger	7	7	10	8	10	17	10	9	13	10	14	9	7	6	7	10	10	6	5	11	4	7	6	10	213	8,9	36,9	
Waldohreule	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0,1	0,3	
Waldschnepfe	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	4	0,2	0,7	

## Vogelkundliche Wanderungen

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Summe	Schnitt	%	
																										24		
Wanderungen	17	16	23	23	24	30	28	23	24	27	31	24	26	27	24	25	24	27	26	26	20	21	21	21	578	24,1		
Waldwasserläufer	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1	4	0,2	0,7	
Wanderfalke	0	0	0	0	0	1	0	0	1	0	2	1	0	0	0	0	0	1	2	1	0	0	0	0	9	0,4	1,6	
Wasseramsel	0	0	1	0	1	1	1	0	1	0	1	1	1	1	0	0	2	2	2	0	1	1	1	0	18	0,8	3,1	
Wasserralle	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2	
Weidenmeise	0	0	3	2	0	2	0	0	1	0	3	1	0	1	1	3	0	0	0	1	0	0	0	0	18	0,8	3,1	
Weißstorch	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2	
Wendehals	2	2	2	7	6	5	4	3	4	5	1	2	0	2	1	2	1	1	3	0	0	1	3	0	57	2,4	9,9	
Wespenbussard	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0,0	0,2	
Wiesenpieper	1	0	0	0	0	0	2	3	0	1	1	2	1	3	1	1	0	1	2	1	0	0	0	0	20	0,8	3,5	
Wintergoldhähnchen	8	11	16	15	13	17	18	15	14	14	22	15	7	14	19	16	12	20	14	13	8	9	11	5	326	13,6	56,4	
Zaunkönig	10	11	16	20	19	25	23	16	23	23	27	22	22	19	18	20	18	25	26	21	18	18	18	20	478	19,9	82,7	
Ziegenmelker	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2	
Zilp-Zalp	16	15	21	21	22	28	24	21	23	24	26	21	22	24	21	21	20	23	23	22	18	18	19	15	508	21,2	87,9	
Zitronengirlitz	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0,0	0,2	
Zwergtaucher	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	0,1	0,5	
Feldhase								17	22	23	26	17	22	22	19	20	20	20	22	18	17	16	16	15	332	19,5	79,6	
<b>ARTEN GESAMT</b>	<b>72</b>	<b>83</b>	<b>87</b>	<b>92</b>	<b>86</b>	<b>96</b>	<b>90</b>	<b>89</b>	<b>86</b>	<b>87</b>	<b>91</b>	<b>86</b>	<b>86</b>	<b>90</b>	<b>84</b>	<b>92</b>	<b>95</b>	<b>88</b>	<b>115</b>	<b>91</b>	<b>94</b>	<b>90</b>	<b>101</b>	<b>88</b>	<b>2159</b>	<b>90,0</b>		
<b>ARTEN Durchschnitt</b>	<b>34</b>	<b>36,8</b>	<b>34,4</b>	<b>39,8</b>	<b>36,9</b>	<b>39,6</b>	<b>37,6</b>	<b>40</b>	<b>40,4</b>	<b>40,9</b>	<b>38,4</b>	<b>36</b>	<b>36,9</b>	<b>37,3</b>	<b>35,8</b>	<b>38,2</b>	<b>38,5</b>	<b>40,2</b>	<b>40,3</b>	<b>36,9</b>	<b>38,4</b>	<b>36,8</b>	<b>37,2</b>	<b>34,0</b>	<b>904,95</b>	<b>37,7</b>		
<b>Teilnehmer Durchsch.</b>	<b>8,4</b>	<b>7,4</b>	<b>3,4</b>	<b>3,8</b>	<b>3</b>	<b>3,8</b>	<b>4,1</b>	<b>3,7</b>	<b>3,5</b>	<b>6,5</b>	<b>7,1</b>	<b>7,2</b>	<b>8,8</b>	<b>11,9</b>	<b>11,9</b>	<b>12,8</b>	<b>12,2</b>	<b>11</b>	<b>11</b>	<b>14</b>	<b>9,6</b>	<b>10,8</b>	<b>11,2</b>	<b>9,6</b>	<b>196,77</b>	<b>8,2</b>		

1988 und 1989 wurden 5 Wanderungen durchgeführt. Wanderung Nr. 26/2009 war die 500.